#### **DELIXIRUM SILVER**









## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: DELIXIRUM SILVER

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Protective coating

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Bracia Pietrzak S.C. Robert Pietrzak Mariusz Pietrzak

UI. Pszczyńska 192 44-100 Gliwice NIP: 626 299 70 26 www.delixirum.com info@delixirum.com

1.4 Emergency telephone number: 112

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302

Asp. Tox. 1: Aspiration hazard, Category 1, H304 Eye Dam. 1: Serious eye damage, Category 1, H318 Flam. Liq. 2: Flammable liquids, Category 2, H225 Skin Corr. 1B: Skin corrosion, Category 1B, H314 Skin Sens. 1: Sensitisation, skin, Category 1, H317

#### 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:

#### Dangei









# Hazard statements:

Acute Tox. 4: H302 - Harmful if swallowed

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways

Flam. Liq. 2: H225 - Highly flammable liquid and vapour

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage

Skin Sens. 1: H317 - May cause an allergic skin reaction

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280: Wear protective gloves/protective clothing/eye protection/face protection

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of contents/container according to the separated collection system used in your municipality

## Supplementary information:

EUH066: Repeated exposure may cause skin dryness or cracking

Contains Dibutyltin Dilaurate

#### Substances that contribute to the classification

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics; Trimethoxy(methyl)silane; 3-aminopropyltriethoxysilane

## 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

#### **DELIXIRUM SILVER**









# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:	Non-applicable	Hydrocarbons, C10-C	13, n-alkanes, isoalkanes, cyclics, <2% aromatics(1) Self-classified	
EC: Index: REACH:	918-481-9 Non-applicable 01-2119457273-39- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304; EUH066 - Danger	50 - <75 %
CAS: EC:	1185-55-3 214-685-0	Trimethoxy(methyl)s	ilane(1) Self-classified	
Index:	Non-applicable 01-2119517436-40- XXXX	Regulation 1272/2008	Flam. Liq. 2: H225; Skin Sens. 1: H317 - Danger	10 - <25 %
CAS: EC:	919-30-2 213-048-4	3-aminopropyltrietho	xysilane <sup>(1)</sup> ATP CLP00	
Index:	612-108-00-0 01-2119480479-24- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Skin Corr. 1B: H314 - Danger	10 - <25 %
CAS: EC:	2943-75-1 220-941-2	Triethoxyoctylsilane(	Self-classified	
Index:	Non-applicable 01-2119972313-39- XXXX	Regulation 1272/2008	Skin Irrit. 2: H315 - Warning	1 - <2,5 %
CAS:	77-58-7	Dibutyltin Dilaurate(1	Self-classified	
EC: Index: REACH:	201-039-8 050-030-00-3 01-2119496068-27- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Muta. 2: H341; Repr. 1B: H360; Skin Corr. 1C: H314; Skin Sens. 1: H317; STOT RE 1: H372; STOT SE 1:	<1 %
CAS: EC:	67-56-1 200-659-6	methanol <sup>(2)</sup>	ATP CLP00	
Index:	200-659-6 603-001-00-X 01-2119433307-44- XXXX	Regulation 1272/2008	Acute Tox. 3: H301+H311+H331; Flam. Liq. 2: H225; STOT SE 1: H370 - Danger	<1 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

#### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

## By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

## By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

# By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

Date of compilation: 08/07/2020 Version: 1 Page 2/13

- CONTINUED ON NEXT PAGE -

<sup>(2)</sup> Substance with a Union workplace exposure limit

#### **DELIXIRUM SILVER**









# SECTION 4: FIRST AID MEASURES (continued)

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

# 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## **SECTION 5: FIREFIGHTING MEASURES**

## 5.1 Extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO<sub>2</sub>). IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

## 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

# 6.3 Methods and material for containment and cleaning up:

It is recommended

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

#### **DELIXIRUM SILVER**









# SECTION 7: HANDLING AND STORAGE (continued)

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

# 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

Identification		Occupational exposure limits		
methanol		IOELV (8h)	200 ppm	260 mg/m <sup>3</sup>
CAS: 67-56-1	EC: 200-659-6	IOELV (STEL)		

# **DNEL (Workers):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Trimethoxy(methyl)silane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1185-55-3	Dermal	Non-applicable	Non-applicable	6,6 mg/kg	Non-applicable
EC: 214-685-0	Inhalation	Non-applicable	Non-applicable	47 mg/m³	Non-applicable
3-aminopropyltriethoxysilane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 919-30-2	Dermal	8,3 mg/kg	Non-applicable	8,3 mg/kg	Non-applicable
EC: 213-048-4	Inhalation	59 mg/m <sup>3</sup>	Non-applicable	59 mg/m <sup>3</sup>	Non-applicable
Triethoxyoctylsilane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2943-75-1	Dermal	9 mg/kg	Non-applicable	9 mg/kg	Non-applicable
EC: 220-941-2	Inhalation	16 mg/m <sup>3</sup>	Non-applicable	16 mg/m <sup>3</sup>	Non-applicable
Dibutyltin Dilaurate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 77-58-7	Dermal	1 mg/kg	Non-applicable	0,2 mg/kg	Non-applicable
EC: 201-039-8	Inhalation	0,07 mg/m <sup>3</sup>	Non-applicable	0,01 mg/m <sup>3</sup>	Non-applicable
methanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-56-1	Dermal	40 mg/kg	Non-applicable	40 mg/kg	Non-applicable
EC: 200-659-6	Inhalation	260 mg/m <sup>3</sup>	260 mg/m <sup>3</sup>	260 mg/m <sup>3</sup>	260 mg/m <sup>3</sup>

# **DNEL (General population):**

Date of compilation: 08/07/2020 Version: 1 Page 4/13

# **DELIXIRUM SILVER**









# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure		exposure
Identification		Systemic	Local	Systemic	Local
Trimethoxy(methyl)silane	Oral	Non-applicable	Non-applicable	0,42 mg/kg	Non-applicable
CAS: 1185-55-3	Dermal	132 mg/kg	Non-applicable	2,9 mg/kg	Non-applicable
EC: 214-685-0	Inhalation	353 mg/m <sup>3</sup>	Non-applicable	10 mg/m <sup>3</sup>	Non-applicable
3-aminopropyltriethoxysilane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 919-30-2	Dermal	5 mg/kg	Non-applicable	5 mg/kg	Non-applicable
EC: 213-048-4	Inhalation	17,4 mg/m <sup>3</sup>	Non-applicable	17,4 mg/m <sup>3</sup>	Non-applicable
Triethoxyoctylsilane	Oral	6,2 mg/kg	Non-applicable	6,2 mg/kg	Non-applicable
CAS: 2943-75-1	Dermal	6,2 mg/kg	Non-applicable	6,2 mg/kg	Non-applicable
EC: 220-941-2	Inhalation	5,4 mg/m <sup>3</sup>	Non-applicable	5,4 mg/m <sup>3</sup>	Non-applicable
Dibutyltin Dilaurate	Oral	0,01 mg/kg	Non-applicable	0,002 mg/kg	Non-applicable
CAS: 77-58-7	Dermal	0,5 mg/kg	Non-applicable	0,08 mg/kg	Non-applicable
EC: 201-039-8	Inhalation	0,02 mg/m <sup>3</sup>	Non-applicable	0,003 mg/m <sup>3</sup>	Non-applicable
methanol	Oral	8 mg/kg	Non-applicable	8 mg/kg	Non-applicable
CAS: 67-56-1	Dermal	8 mg/kg	Non-applicable	8 mg/kg	Non-applicable
EC: 200-659-6	Inhalation	50 mg/m <sup>3</sup>	50 mg/m <sup>3</sup>	50 mg/m <sup>3</sup>	50 mg/m <sup>3</sup>

#### PNEC:

Identification				
3-aminopropyltriethoxysilane	STP	13 mg/L	Fresh water	0,33 mg/L
CAS: 919-30-2	Soil	0,05 mg/kg	Marine water	0,033 mg/L
EC: 213-048-4	Intermittent	3,3 mg/L	Sediment (Fresh water)	1,2 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,12 mg/kg
Triethoxyoctylsilane	STP	100 mg/L	Fresh water	0,0058 mg/L
CAS: 2943-75-1	Soil	0,09 mg/kg	Marine water	0,00058 mg/L
EC: 220-941-2	Intermittent	Non-applicable	Sediment (Fresh water)	2,34 mg/kg
	Oral	10 g/kg	Sediment (Marine water)	0,23 mg/kg
Dibutyltin Dilaurate	STP	100 mg/L	Fresh water	0,000463 mg/L
CAS: 77-58-7	Soil	Non-applicable	Marine water	0,0000463 mg/L
EC: 201-039-8	Intermittent	0,00463 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	0,2 g/kg	Sediment (Marine water)	Non-applicable
methanol	STP	100 mg/L	Fresh water	154 mg/L
CAS: 67-56-1	Soil	23,5 mg/kg	Marine water	15,4 mg/L
EC: 200-659-6	Intermittent	1540 mg/L	Sediment (Fresh water)	570,4 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

# 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

# B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours	CAT III	EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

## **DELIXIRUM SILVER**









# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves	CAT III	EN ISO 374-1:2016 EN 16523-1:2015 EN 420:2003+A1:2009	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

<sup>&</sup>quot;As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

#### D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face shield	CATII	EN 166:2001 EN 167:2001 EN 168:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

# E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties	CATIII	EN 1149-1,2,3 EN 13034:2005+A1:2009 EN ISO 13982-1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN ISO 13688:2013 EN 464:1994	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk, with antistatic and heat resistant properties	CATIII	EN ISO 13287:2012 EN ISO 20345:2011 EN 13832-1:2019	Replace boots at any sign of deterioration.

## F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
*	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>⊣</b> ( <b>0</b>	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

## **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

## Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 59,86 % weight

V.O.C. density at 20 °C: 495,26 kg/m³ (495,26 g/L)

Average carbon number: 8,98

Average molecular weight: 129,93 g/mol

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

# Appearance:

Physical state at 20 °C: Liquid

Appearance: Fluid

Colour: Green

\*Not relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 08/07/2020 Version: 1 Page 6/13

## **DELIXIRUM SILVER**









# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Odour: Characteristic
Odour threshold: Non-applicable \*

Volatility:

Boiling point at atmospheric pressure: 166 °C Vapour pressure at 20 °C: 49 Pa

Vapour pressure at 50 °C: 329,4 Pa (0,33 kPa) Evaporation rate at 20 °C: Non-applicable \*

**Product description:** 

Density at 20 °C: 827,4 kg/m³
Relative density at 20 °C: 0,827

Dynamic viscosity at 20 °C: 0,81 cP

Kinematic viscosity at 20 °C: 0,97 cSt

Kinematic viscosity at 40 °C: <20,5 cSt

Concentration: Non-applicable \* pH: Non-applicable \* Vapour density at 20 °C: Non-applicable \* Partition coefficient n-octanol/water 20 °C: Non-applicable \* Solubility in water at 20 °C: Non-applicable \* Non-applicable \* Solubility properties: Decomposition temperature: Non-applicable \* Non-applicable \* Melting point/freezing point: Explosive properties: Non-applicable \* Oxidising properties: Non-applicable \*

Flammability:

Flash Point: 11 °C

Flammability (solid, gas): Non-applicable \*

Autoignition temperature: 265 °C

Lower flammability limit: Not available

Upper flammability limit: Not available

**Explosive:** 

Lower explosive limit:

Upper explosive limit:

Non-applicable \*

Non-applicable \*

9.2 Other information:

Surface tension at 20 °C:

Refraction index:

Non-applicable \*

Non-applicable \*

 $\hbox{*Not relevant due to the nature of the product, not providing information property of its hazards.}$ 

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

## 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# 10.4 Conditions to avoid:

Date of compilation: 08/07/2020 Version: 1 Page 7/13

#### **DELIXIRUM SILVER**









# SECTION 10: STABILITY AND REACTIVITY (continued)

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
  - Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
    - IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with mutagenic effects. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
  - Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous as a result of a single exposure. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
  - Skin: Repeated exposure may cause skin dryness or cracking
- H- Aspiration hazard:

# **DELIXIRUM SILVER**









# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

The consumption of a considerable dose can cause pulmonary damage.

# Other information:

Non-applicable

# Specific toxicology information on the substances:

Identification	Ad	Acute toxicity	
3-aminopropyltriethoxysilane	LD50 oral	1491 mg/kg	Rat
CAS: 919-30-2	LD50 dermal	4000 mg/kg	Rabbit
EC: 213-048-4	LC50 inhalation	Non-applicable	
Dibutyltin Dilaurate	LD50 oral	175 mg/kg	Rat
CAS: 77-58-7	LD50 dermal	Non-applicable	
EC: 201-039-8	LC50 inhalation	Non-applicable	
methanol	LD50 oral	100 mg/kg	Rat
CAS: 67-56-1	LD50 dermal	300 mg/kg	Rabbit
EC: 200-659-6	LC50 inhalation	3 mg/L (4 h)	Rat

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
3-aminopropyltriethoxysilane	LC50	Non-applicable		
CAS: 919-30-2	EC50	331 mg/L (48 h)	Daphnia magna	Crustacean
EC: 213-048-4	EC50	603 mg/L (72 h)	Scenedesmus subspicatus	Algae
Dibutyltin Dilaurate	LC50	0.1 - 1 mg/L (96 h)		Fish
CAS: 77-58-7	EC50	0.1 - 1 mg/L		Crustacean
EC: 201-039-8	EC50	0.1 - 1 mg/L		Algae
methanol	LC50	15400 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 67-56-1	EC50	12000 mg/L (96 h)	Nitrocra spinipes	Crustacean
EC: 200-659-6	EC50	530 mg/L (168 h)	Microcystis aeruginosa	Algae

# 12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
3-aminopropyltriethoxysilane	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 919-30-2	COD	Non-applicable	Period	28 days
EC: 213-048-4	BOD5/COD	Non-applicable	% Biodegradable	54 %
Dibutyltin Dilaurate	BOD5	0.00054 g O2/g	Concentration	100 mg/L
CAS: 77-58-7	COD	Non-applicable	Period	28 days
EC: 201-039-8	BOD5/COD	Non-applicable	% Biodegradable	50 %
methanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 67-56-1	COD	1.42 g O2/g	Period	14 days
EC: 200-659-6	BOD5/COD	Non-applicable	% Biodegradable	92 %

# 12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential	
3-aminopropyltriethoxysilane	BCF	1
CAS: 919-30-2	Pow Log	0.1
EC: 213-048-4	Potential	Low
Dibutyltin Dilaurate	BCF	31
CAS: 77-58-7	Pow Log	3.12
EC: 201-039-8	Potential	Moderate
methanol	BCF	3
CAS: 67-56-1	Pow Log	-0.77
EC: 200-659-6	Potential	Low

Date of compilation: 08/07/2020 Version: 1 Page 9/13

#### **DELIXIRUM SILVER**









# SECTION 12: ECOLOGICAL INFORMATION (continued)

#### 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
methanol	Koc	Non-applicable	Henry	Non-applicable
CAS: 67-56-1	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 200-659-6	Surface tension	2,355E-2 N/m (25 °C)	Moist soil	Non-applicable

#### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

#### 12.6 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous	

#### Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP3 Flammable, HP13 Sensitising, HP8 Corrosive

## Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Nο

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# **SECTION 14: TRANSPORT INFORMATION**

## Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:



**14.1 UN number:** UN2924

**14.2 UN proper shipping name:** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Trimethoxy(methyl)silane;

3-aminopropyltriethoxysilane)

**14.3** Transport hazard class(es): 3

Labels: 3, 8 **14.4 Packing group:** II

14.5 Environmental hazards:14.6 Special precautions for user

Special regulations: 274
Tunnel restriction code: D/E

Physico-Chemical properties: see section 9

Limited quantities: 1 L

**14.7** Transport in bulk according to Non-applicable

Annex II of Marpol and the

**IBC Code:** 

# Transport of dangerous goods by sea:

With regard to IMDG 39-18:

#### **DELIXIRUM SILVER**









## SECTION 14: TRANSPORT INFORMATION (continued)

14.1 UN number: UN2924

14.2 UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Trimethoxy(methyl)silane;

3-aminopropyltriethoxysilane)

14.3 Transport hazard class(es): 3

> 3, 8 Labels:

14.4 Packing group: II 14.5 Environmental hazards: No

14.6 Special precautions for user

274 Special regulations: EmS Codes: F-E, S-C Physico-Chemical properties: see section 9

Limited quantities: 11

Non-applicable Segregation group:

14.7 Transport in bulk according to Non-applicable

Annex II of Marpol and the **IBC Code:** 

## Transport of dangerous goods by air:

With regard to IATA/ICAO 2020:



14.1 UN number: LIN2924

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Trimethoxy(methyl)silane; 14.2 **UN proper shipping name:** 

3-aminopropyltriethoxysilane)

14.3 Transport hazard class(es):

Labels: 3, 8 14.4 Packing group: Π 14.5 Environmental hazards: Nο

14.6 Special precautions for user

Physico-Chemical properties: see section 9 14.7 Transport in bulk according to Non-applicable

Annex II of Marpol and the

**IBC Code:** 

## SECTION 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Contains Dibutyltin Dilaurate

## Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P5c		5000	50000

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

## Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

- CONTINUED ON NEXT PAGE -

# Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

Page 11/13

#### **DELIXIRUM SILVER**









## SECTION 15: REGULATORY INFORMATION (continued)

The supplier has not carried out evaluation of chemical safety.

# **SECTION 16: OTHER INFORMATION**

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

#### Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction

H318: Causes serious eye damage

H302: Harmful if swallowed

H304: May be fatal if swallowed and enters airways

H225: Highly flammable liquid and vapour

H314: Causes severe skin burns and eye damage

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

## CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

Acute Tox. 4: H302 - Harmful if swallowed Aquatic Acute 1: H400 - Very toxic to aquatic life

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways

Flam. Lig. 2: H225 - Highly flammable liquid and vapour Muta. 2: H341 - Suspected of causing genetic defects

Repr. 1B: H360 - May damage fertility or the unborn child Skin Corr. 1B: H314 - Causes severe skin burns and eye damage

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage

Skin Irrit. 2: H315 - Causes skin irritation Skin Sens. 1: H317 - May cause an allergic skin reaction

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure. (Oral)

STOT SE 1: H370 - Causes damage to organs

# Classification procedure:

Skin Sens. 1: Calculation method Eye Dam. 1: Calculation method Acute Tox. 4: Calculation method Asp. Tox. 1: Calculation method

Flam. Lig. 2: Calculation method (2.6.4.3)

Skin Corr. 1B: Calculation method

# Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

# Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

# **DELIXIRUM SILVER**









The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Date of compilation: 08/07/2020 Version: 1 Page 13/13